

CabMark™

Industrial marking

Your complete solution for marking and identifying cables and components.



CabMark CMP
www.cabmark.com

A combined solution that covers every aspect of industrial marking.

CabMark™

CabMark™ is a complete marking system for identification of industrial products.

With CabMark™ you are able to mark wire, cables, control panels, components etc.
– In CabMark™ you have an “all-in-one-system”.

By using the combined solution of labels, markers and the CabSoft™ software with our high performance printers, you will be able to lower the labour cost in your production.

We offer a wide variety of high quality products. If you require sizes or colours beyond the specified please feel free to make special requests.

Cabicon regularly design and develop new products and will keep you informed as soon there are any changes or news in our program.

To make your marking life easier we offer our customers a service agreement – CSA (CabMark™ Service Agreement)
– with this agreement you are always ensured help when you need it.

Require further information? Call us right now.

Phone: +45 7623 4400

Products

CabMark™ CPL	4
CabMark™ POL	6
CabMark™ CMP	8
CabMark™ CMP-D	12
CabMark™ ZHCO	14
CabMark™ ZHS	16
CabMark™ CMW	18
CabMark™ WMO	20
CabMark™ LMT	22
CabMark™ CAB-on	24
CabMark™ CMSS	26
CabMark™ Flexible	28
CabMark™ Flexible	29
CabMark™ SQ	30
CabMark™ E5	31
CabMark™ E5 Mobile	32
Printer accessories	33
CabMark™ WICON	34
CabMark™ Ribbons	35
CabSoft™ Software	36
CabMark™ Print Shop	37
Disclaimer	38

CabMark™ CPL

Control Panel Labels (CPL) - raised for special marking

CabMark™ CPL is a high quality label and can replace engraved and plotted plates. CPL is a cost saving label. It saves handling costs up to several times compared to normal plates and together with CabMark™ Printer SQ and E5 you can print them when you need them – no waiting time!

- Good resistance against scratching, smearing and rubbing.
- Excellent UV resistance on printed image.
- High tack adhesive, suitable for rough surfaces.
- Easier, faster, and more cost-effective than engraved metal plates.
- Up to 6 colours: black, white, yellow, silver, red and green.
- Good resistance chemicals such as alcohols and diesel oil.

Standard colours are metal, white, yellow and red.

! Other colours and sizes can be supplied on request.

UL conforming.



Material:
Polyethylene overfolie/Polyethen foam, UV stable.

Thickness:
0,6 mm

Operating temperature:
-30° C – +135° C

Application temperature:
+5° C – +40° C

Specification:
Over Foil UL approved.

Colours:
Silver, white, yellow and red - other colours and sizes can be supplied on request.

Printer recommended:
SQUIX-M 4 / E5

Ribbon recommended:
CabMark™ TT CCR / CC XT black

Storage:
In original packing at +15° C – +22° C and 45-55% RH.

Use within 2 years from manufactured.

Art. no. & Colour				Size	Sales Unit
5710190-					
	□ 530748			17 x 18 mm	2.500 pcs. /roll
■ 530007	□ 530786	■ 531585	■ 532360	27 x 8 mm	2.500 pcs. /roll
■ 530014	□ 530793	■ 531592	■ 532377	27 x 12,5 mm	2.000 pcs. /roll
■ 530021	□ 530809	■ 531608	■ 532384	27 x 15 mm	1.500 pcs. /roll
■ 530038	□ 530816	■ 531615	■ 532391	27 x 18 mm	1.500 pcs. /roll
	□ 530854			30 x 18 mm	1.000 pcs. /roll
■ 530113	□ 530892	■ 531684	■ 532469	35 x 18 mm	1.000 pcs. /roll
■ 530182	□ 530977	■ 531752	■ 532537	45 x 15 mm	1.000 pcs. /roll
	□ 531035			48 x 18 mm	1.250 pcs. /roll
■ 530250	□ 531042	■ 531837	■ 532605	48 x 19 mm	1.250 pcs. /roll
■ 530328	□ 531110	■ 531905	■ 532681	60 x 30 mm	500 pcs. /roll
	□ 531134			66 x 18 mm	1.000 pcs. /roll
■ 530403	□ 531196	■ 531974	■ 532759	70 x 18 mm	1.000 pcs. /roll
■ 530465	□ 531264	■ 532049	■ 532834	80 x 60 mm	500 pcs. /roll
■ 530533	□ 531318	■ 532117	■ 532889	90 x 45 mm	500 pcs. /roll
■ 530618	□ 531370	■ 532179	■ 532957	100 x 30 mm	500 pcs. /roll
■ 530632	□ 531387	■ 532186	■ 532964	100 x 50 mm	500 pcs. /roll
■ 530663	□ 531400	■ 532100	■ 532971	100 x 90 mm	200 pcs. /roll
■ 530687	□ 531424	■ 532223	■ 533008	100 x 140 mm	200 pcs. /roll





CabMark™ POL

Polyester labels (POL)

CabMark™ POL - is a high-end polyester label for thermal transfer printing to be used in harsh environment if needed.

Printed with CabMark™ ribbon you are secured a high quality print to be used in a wide variety of applications.

Standard colours are metal and white.

! Other colours and sizes can be supplied on request.

UL conforming.



Material:
Polyester

Operating temperature:
-30° C – +150° C

Application temperature:
From +5° C

Specification:
UL94

Colours:
Silver, yellow, white and red - other colours and sizes can be supplied on request.

Printer recommended:
CabMark™ SQ-M 4/300 or CabMark™ E5.

Ribbon recommended:
CabMark™ TT CCR / CC XT black

Storage:
In original packing at +10° C - +30° C and 45-55% RH.

Use within 2 years from manufactured.

Art. no. & Colour				Size	Sales Unit
5710190-					
■ 520022	■ 520923	□ 522002	■ 519022	10 x 5 mm	10.000 pcs /roll
■ 520008	■ 520930	□ 522019	■ 519019	15 x 5 mm	10.000 pcs /roll
■ 520039	■ 520947	□ 522033	■ 519033	15 x 10 mm	2.000 pcs /roll
		□ 521999		17 x 18 mm	3.000 pcs /roll
■ 520060	■ 520985	□ 522071	■ 519026	20 x 10 mm	3.000 pcs /roll
■ 520077	■ 520961	□ 522101	■ 519071	25,4 x 12,7 mm	5.000 pcs /roll
■ 520084	■ 521005	□ 522088	■ 519095	28 x 20 mm	2.000 pcs /roll
■ 520091	■ 521029	□ 522125	■ 519101	30 x 11 mm	2.000 pcs /roll
		□ 522187		30 x 18 mm	5.000 pcs /roll
■ 520107	■ 521043	□ 522132	■ 519118	30 x 20 mm	5.000 pcs /roll
■ 520145	■ 521067	□ 522163	■ 519040	40 x 6 mm	4.000 pcs /roll
■ 520152	■ 521074	□ 522170	■ 519057	40 x 10 mm	4.000 pcs /roll
■ 520176	■ 521098	□ 522194	■ 519125	40 x 20 mm	5.000 pcs /roll
		□ 522200		48 x 18 mm	2.500 pcs /roll
■ 520206	■ 521135	□ 522224	■ 519132	50 x 10 mm	2.500 pcs /roll
■ 520213	■ 521142	□ 522231	■ 519149	50 x 15 mm	2.000 pcs /roll
■ 520237	■ 521159	□ 522255	■ 519156	50 x 35 mm	2.000 pcs /roll
■ 520220	■ 521166	□ 522248	■ 519163	50,8 x 25,4 mm	2.500 pcs /roll
■ 520268	■ 521180	□ 522286	■ 518890	59 x 10 mm	4.000 pcs /roll
		□ 522293		66 x 18 mm	2.000 pcs /roll
■ 520350	■ 521296	□ 522347	■ 518906	70 x 30 mm	1.000 pcs /roll
■ 520367	■ 521302	□ 522354	■ 518913	72 x 37 mm	2.500 pcs /roll
■ 520374	■ 521333	□ 522361	■ 518920	75 x 10 mm	2.000 pcs /roll
■ 520404	■ 521340	□ 522385	■ 518937	76,2 x 25,4 mm	2.500 pcs /roll
■ 520398	■ 521357	□ 522408	■ 518951	76,2 x 50,8 mm	2.500 pcs /roll
■ 520510	■ 521418	□ 522514	■ 518975	90 x 30 mm	1.500 pcs /roll
■ 520541	■ 521456	□ 522521	■ 518968	95 x 20 mm	2.000 pcs /roll
■ 520589	■ 521494	□ 522583	■ 518982	100 x 28 mm	2.500 pcs /roll
■ 520633	■ 521531	□ 522606	■ 518999	100 x 50 mm	2.500 pcs /roll
■ 520671	■ 521692	□ 522644	■ 519189	100 x 130 mm	500 pcs /roll
■ 520640	■ 521548	□ 522668	■ 519170	101,6 x 57,15 mm	500 pcs /roll
■ 520749	■ 522880	□ 522804	■ 522972	Ø 10 mm	10.000 pcs /roll
■ 520763	■ 522897	□ 522828	■ 522989	Ø 20 mm	7.500 pcs /roll



CabMark™ CMP

PUR cable marker in pre-cut liner format

CabMark™ CMP - high performance cable markers made in PUR material. The smart-design with pre-punched markers integrated in the liner - enables you to remove and mount the markers very fast. We call it: Print, rib-off and mount. Together with CabMark™ high performance ribbon you are secured a high print quality - can be used in harsh environments.

Chose between 4 different types - standard type to be mounted with 2 cable-ties. Octave and Manila to be mounted with 1 cable tie. Bonemark is selflocking and needs no cable ties.

Standard colours are yellow and white other colours on request.

! Other colours and sizes can be supplied on request.



Material:
Polyurethane, zero halogen, UV stable, Flame retardant.

Operating temperature:
-30° C – +90° C

Specification:
Conforming to MIL 81531/ V0 (3mm) according to UL94.

Colours:
Yellow, white, red, black and orange, green, pink, light blue and light green - other colours and sizes can be supplied on request.

Printer recommended:
CabMark™ SQ-M4/300 or CabMark™ E5/300.

Ribbon recommended:
CabMark™ TT CCR / CC XT black.

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufactured.

CMP PUR 60 x 10 mm / 1.000 pcs. /roll

550074 550005 550289 550142 550210 550357 550487 550562 550524

CMP PUR 75 x 15 mm / 1.000 pcs. /roll

550081 550012 550296 550159 550227 550364 550494 550579 550517

CMP PUR 78 x 28 mm / 600 pcs. /roll

550098 550029 550302 550166 550234 550371 550500 550586 550531



CabMark™ CMP Bonemark

CMP Bonemark is extremely strong with high tear strenght, suitable for a variety of in and outdoor applications.

Bonemark is a clever solution for marking cables, wires, components and valves etc. Print different information like dates, barcodes or company logos.

It's easy to mount; fold the text area and stick it through the fixation hull and you are finished without using cable ties or other fixation products.

The markers are partially perforated for easy handling after printing and supplied on rolls for thermal transfer printing.

! Other colours and sizes can be supplied on request.



CMP Bonemark 71 x 30 mm / 700 pcs. /roll

- 550753
- 550760
- 550784
- 550791
- 550777
- 550715
- 550739
- 550722
- 550746



CabMark™ CMP Manila

CMP Manila is made especially for components or valves etc. but can actually be used anywhere where you need a strong and reliable marking.

It is made as a hanger for fixation with cable ties or steel wire.

Supplied on rolls for thermal transfer printing.

! Other colours and sizes can be supplied on request.



CMP Manila 90 x 11 mm / 1.000 pcs. /roll

- 550890
- 550968
- 550326
- 550906
- 550913
- 550920
- 550456
- 550937
- 550944



CabMark™ CMP Octave

CMP Octave marker to be mounted with 1 cable tie. Its extremely strong with high tear strength, suitable for a variety of in and outdoor applications.

Supplied on rolls for thermal transfer printing.

! Other colours and sizes can be supplied on request.



CMP Octave 2 in a row 30 x 24 mm / 1.660 pcs. /roll

- 550838
- 550807
- 550319
- 550821
- 550814
- 550388
- 550470
- 550593
- 550548

CMP Octave 1 in a row 40 x 25 mm / 666 pcs. /roll

- 550845
- 550852
- 550869
- 550876
- 550258
- 550395
- 550463
- 550616
- 550555



CabMark™ CMP-D

Detectable cable markers

Cabmark™ detectable cablemarkers CMP-D – optimized for X-Ray- and Metal-detection.

Made from base material Thermoplastic Poly-Urethane (TPU). It means this product will cope with even the harshest of conditions – while still conforming to the food processing industry's stringest demands for food contact.

Food processing units are recommended to use detectable ID-materials, to ensure reliable extraction in case of unforeseen events.

This product is printed on its own carrier with our recommended ribbon, after which it is easily

removeable along the perforations – and ready for attachment with our detectable cable tie's.

Ultimately you will have an elegant solution for the identification of your electrical installations in food procesing.

! Other colours and sizes can be supplied on request.



Material:

Polyurethane, zero halogen, UV stable, Flame retardant UL 94 VO (3mm)

Operating temperature:

-30° C – +90° C

Specification:

Conforming to MIL 81531
Hardness: 58 Shore D, DIN 53505
Tensile Strength: 30 MPa, DIN 53504-S2
Tear Strength: 110 N/mm, DIN ISO 34-1Bb
Tensile strength after storage in water at 80° C for 42 days: 20MPa, DIN 53504-S2
Uv stability: 1000 hours, DIN EN ISO 4892-2 PART A

Colours:

Blue - alternative wishes on request.

Printer recommended:

CabMark™ SQ-M 4/300 or CabMark™ E5.

Ribbon recommended:

CabMark™ TT CCR / CC XT black.

Storage:

In original packing at 45-55% RH.

Use within 2 years from manufactured.

Art. no. & Colour	Description	Size	Sales Unit
5710190-			
■ 550630	CMP-D	60 x 10 mm	1000 pcs. /roll
■ 550692	CMP-D Octave	40 x 25 mm	1000 pcs. /roll



CMP-D Octave

CabMark™ ZHCO

Continuous heat shrinkable sleeves 2:1 / 3:1

CabMark™ ZHCO – heat shrinkable continous tubing is one of the fastest wire-marking products on the market.

The flattened tube is designed for thermal transfer printing and is recommended to be printed with CabMark™ ribbons, to ensure you a high quality print.

The tubing is delivered on rolls and is designed for continous thermal transfer printing. Used together with a cutter you can effectively produce exactly the lengths you request in the shortest possible time.

Sizes from Ø2,4mm to Ø50,8mm makes CabMark™ ZHCO a flexible solution fit for any wires you may have.

CabMark™ ZHCO is available in standard colours of yellow and white.

Other colours and sizes can be supplied on request.

UL Filenumber: E479361



Material:
Polyolefin 2:1 / 3:1.

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow and white - other colours and sizes can be supplied on request.

Printer recommended:
CabMark™ SQ-M 4/300 or CabMark™ E5.

Ribbon recommended:
CabMark™ TT CCR / CC XT black

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufactured.

Art. no. & Colour				Size	Sales Unit
5710190-					
2:1		3:1			
■ 548651	□ 548781	■ 548354	□ 548484	Ø 1,6 mm	50 m
■ 548668	□ 548798	■ 548361	□ 548491	Ø 2,4 mm	50 m
■ 548675	□ 548804	■ 548378	□ 548507	Ø 3,2 mm	50 m
■ 548682	□ 548811	■ 548385	□ 548514	Ø 4,8 mm	50 m
■ 548699	□ 548828	■ 548392	□ 548521	Ø 6,4 mm	50 m
■ 548705	□ 548835	■ 548408	□ 548538	Ø 9,5 mm	50 m
■ 548712	□ 548842	■ 548415	□ 548545	Ø 12,7 mm	50 m
■ 548729	□ 548859	■ 548422	□ 548552	Ø 19,1 mm	50 m
■ 548736	□ 548866	■ 548439	□ 548569	Ø 25,4 mm	50 m
■ 548743	□ 548873	■ 548446	□ 548576	Ø 38,1 mm	50 m
■ 548750		■ 548453	□ 548583	Ø 50,8 mm	50 m
	□ 548880			Ø 50,8 mm	50 m



CabMark™ ZHS

Liner organized heat shrinkable wire markers.

CabMark™ ZHS – heat shrinkable markers is one of the fastest wire-marking products on the market.

The flattened tube is designed for thermal transfer printing and is recommended to be printed with CabMark™ ribbons, to ensure you a high quality print. The markers are placed on a carrier/liner and can easily be removed, and attached to your wires.

Sizes from Ø2,4 up to Ø50,8 mm and lengths from 12,5 to 50 mm makes CabMark™ ZHS very flexible and supports you on all necessary sizes

of wires. Sizes from Ø2,4mm to Ø50,8mm and lengths from 12,5mm to 50mm makes CabMark™ ZHS a flexible solution fit for any wires you may have.

We offer as standard CabMark™ ZHS in yellow and white tubing.

! Other colours and sizes can be supplied on request.



Material:
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape.

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow and white - other colours and sizes can be supplied on request.

Printer recommended:
CabMark™ SQ-M 4/300


Ribbon recommended:
CabMark™ TT CCR / CC XT black

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufactured.

Art. no. & Colour				Size	Sales Unit
5710190-					
2:1		3:1			
■ 544004	□ 544387	■ 544783	□ 545179	2,4 x 12,5 mm	4.000 pcs. /roll
■ 544011	□ 544394	■ 544790	□ 545186	2,4 x 25 mm	2.000 pcs. /roll
■ 544028	□ 544400	■ 544806	□ 545193	2,4 x 50 mm	1.000 pcs. /roll
■ 544035	□ 544417	■ 544813	□ 545209	3,2 x 12,5 mm	4.000 pcs. /roll
■ 544042	□ 544424	■ 544820	□ 545216	3,2 x 25 mm	2.000 pcs. /roll
■ 544059	□ 544431	■ 544837	□ 555223	3,2 x 50 mm	1.000 pcs. /roll
■ 544066	□ 544448	■ 544844	□ 545230	4,8 x 12,5 mm	4.000 pcs. /roll
■ 544073	□ 544455	■ 544851	□ 545247	4,8 x 25 mm	2.000 pcs. /roll
■ 544080	□ 544462	■ 544868	□ 545254	4,8 x 50 mm	1.000 pcs. /roll
■ 544097	□ 544479	■ 544875	□ 545261	6,4 x 12,5 mm	4.000 pcs. /roll
■ 544103	□ 544486	■ 544882	□ 545278	6,4 x 25 mm	2.000 pcs. /roll
■ 544110	□ 544493	■ 544899	□ 545285	6,4 x 50 mm	1.000 pcs. /roll
■ 544127	□ 544509	■ 544905	□ 545292	9,5 x 12,5 mm	2.000 pcs. /roll
■ 544134	□ 544516	■ 544912	□ 545308	9,5 x 25 mm	1.000 pcs. /roll
■ 544141	□ 544523	■ 544929	□ 545315	9,5 x 50 mm	500 pcs. /roll
■ 544158	□ 544530	■ 544936	□ 545322	12,7 x 12,5 mm	2.000 pcs. /roll
■ 514165	□ 544547	■ 544943	□ 545339	12,7 x 25 mm	1.000 pcs. /roll
■ 544172	□ 534554	■ 544950	□ 545346	12,7 x 50 mm	500 pcs. /roll
■ 544189	□ 544561	■ 544967	□ 545353	19,0 x 12,5 mm	2.000 pcs. /roll
■ 544196	□ 544578	■ 544974	□ 545360	19,0 x 25 mm	1.000 pcs. /roll
■ 544202	□ 544585	■ 544981	□ 545377	19,0 x 50 mm	500 pcs. /roll
■ 544226	□ 544608	■ 545001	□ 545391	25,4 x 25 mm	600 pcs. /roll
■ 544233	□ 544615	■ 545018	□ 545407	25,4 x 50 mm	300 pcs. /roll
■ 544240			□ 545414	38,1 x 25 mm	200 pcs. /roll
■ 544257	□ 544639	■ 545025	□ 545421	38,1 x 50 mm	100 pcs. /roll
■ 544271	□ 544653	■ 545032		50,1 x 50 mm	100 pcs. /roll





CabMark™ CMW

Wraparound cable markers

CabMark™ CMW – is designed for thermal transfer printing and can be used on all kind of wires and cables.

The material is specially designed for applications where squeezability, conformability and transparency are required. The acrylic adhesive is developed for synthetic face materials. Excellent clarity, UV-stability and good water resistance once labeled.

Good adhesion properties and heat resistance. The advantage of CMW is, that it can be used on already mounted cables - mark your cables without disconnecting anything. The wide range of sizes allows you to use it on very small cables up to large sized cables.

Standard colours are white and yellow.

 **Other colours and sizes can be supplied on request.**



Material:
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape.

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow and white - other colours and sizes can be supplied on request.

Printer recommended:
CabMark™ SQ-M 4/300

Ribbon recommended:
CabMark™ TT CCR / CC XT black

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufactured.

Art. no. & Colour		Size	Sales Unit
5710190-			
<input type="checkbox"/> 535002	<input type="checkbox"/> 535514	10 x 5 x 20 mm	5000/10.000 pcs /roll
<input type="checkbox"/> 535040	<input type="checkbox"/> 535552	12,7 x 9,1 x 19 mm	5.000 pcs /roll
<input type="checkbox"/> 535057	<input type="checkbox"/> 535569	12,7 x 8,3 x 23,8 mm	10.000 pcs /roll
<input type="checkbox"/> 535064	<input type="checkbox"/> 535576	12,7 x 12,7 x 38,1 mm	10.000/5.000 pcs /roll
<input type="checkbox"/> 535095	<input type="checkbox"/> 535590	15 x 5 x 30 mm	10.000/7.500 pcs /roll
<input type="checkbox"/> 535125	<input type="checkbox"/> 535637	20 x 10 x 40 mm	10.000/5.000 pcs /roll
<input type="checkbox"/> 535170	<input type="checkbox"/> 535682	25,4 x 12,7 x 38,1 mm	5.000 pcs /roll
<input type="checkbox"/> 535187	<input type="checkbox"/> 535699	25,4 x 19,0 x 57,2 mm	2.500 pcs /roll
<input type="checkbox"/> 535194	<input type="checkbox"/> 535705	25,4 x 25,4 x 95,2 mm	2.500 pcs /roll
<input type="checkbox"/> 535200	<input type="checkbox"/> 535866	38,1 x 19,0 x 57,2 mm	2.500/5.000 pcs /roll
<input type="checkbox"/> 535224	<input type="checkbox"/> 535712	25,4 x 25,4 x 152,4 mm	1.000 pcs /roll
<input type="checkbox"/> 535231	<input type="checkbox"/> 575743	25,4 x 25,4 x 175 mm	2.000/2.500 pcs /roll
<input type="checkbox"/> 535248	<input type="checkbox"/> 535750	25,4 x 38,1 x 190 mm	500/1.000 pcs /roll
<input type="checkbox"/> 535262	<input type="checkbox"/> 535774	30 x 15 x 175 mm	1.000 pcs /roll
<input type="checkbox"/> 535292	<input type="checkbox"/> 535842	38,1 x 12,7 x 38,1 mm	pcs /roll
<input type="checkbox"/> 535309	<input type="checkbox"/> 535873	40 x 30 x 95 mm	2.500 pcs /roll
<input type="checkbox"/> 535316	<input type="checkbox"/> 535897	40 x 30 x 150 mm	2.500 pcs /roll
<input type="checkbox"/> 535323	<input type="checkbox"/> 535927	40 x 30 x 250 mm	500 pcs /roll
<input type="checkbox"/> 535422	<input type="checkbox"/> 536009	50 x 25 x 150 mm	2.000 pcs /roll
<input type="checkbox"/> 535439	<input type="checkbox"/> 536023	50 x 25 x 180 mm	2.000 pcs /roll
<input type="checkbox"/> 535453	<input type="checkbox"/> 536047	50 x 25 x 200 mm	2.000 pcs /roll
<input type="checkbox"/> 535330	<input type="checkbox"/> 535941	50,8 x 12,7 x 34,9 mm	2.000/2.500 pcs /roll
<input type="checkbox"/> 535361	<input type="checkbox"/> 535958	50,8 x 19,1 x 57,1 mm	2.500 pcs /roll
<input type="checkbox"/> 535408	<input type="checkbox"/> 535989	50,8 x 25,4 x 95 mm	2.000 pcs /roll
<input type="checkbox"/> 535415	<input type="checkbox"/> 535905	50,8 x 38,1 x 150 mm	1.000 pcs /roll
<input type="checkbox"/> 535385	<input type="checkbox"/> 535972	50,8 x 25,4 x 69,8 mm	1.000/2.000 pcs /roll



CabMark™ WMO

CabMark™ WMO - Open sesamy!

Meet our new open product range for wires, easy and efficient to print and mount to established circuits – even on bent wires! Fast printing on endless material allows for fast printing of up to 500 units per minute.

WMO is available for wires with diameters of 1,2-4,0 mm (0,25 to 4 mm² cross section). WMO comes in 4 different widths and 2 different colors – spanning the most popular range of wires. A nice completion of your terminal blocks, that won't stick out.

Material:

Halogen-free, cadmium and silicone-free.
Marker base: ABS
Text and project field: TPU

Temperature range:

-40° C do +90° C

Installation temperature:

+5° C do +40° C

Standard colours:

Yellow - white base, yellow text and project field.
White - white base, white text and project field.

Printer recommended:

CabMark™ Thermoprinter E5 /300


Ribbon recommended:

CabMark™ TT CCR / CC XT black

Certified and issued to:

UL 94 V2 Flammability
Complies with: EN 45545 HL 2

Use within 2 years from manufactured.




Art. no. & Colour	Description	Size	Sales Unit
5710190-			
579303	10 Roller	3,6 x 3,8 mm	1 pcs /roll
579310	20 Roller	4,0 x 4,8 mm	1 pcs /roll
579327	30 Roller	4,9 x 5,3 mm	1 pcs /roll
579334	30 Roller	5,0 x 5,7 mm	1 pcs /roll

Art. no. & Colour	Description	Size	Sales Unit
5710190-			
□ 579358 ■ 579389	Wire marker 10/18	3,6 x 3,8 mm	900 pcs /roll
□ 579419 ■ 579440	Wire marker 20/18	4,0 x 4,8 mm	900 pcs /roll
□ 579471 ■ 579501	Wire marker 30/18	4,9 x 5,3 mm	900 pcs /roll
□ 579532 ■ 579563	Wire marker 40/18	5,0 x 5,7 mm	800 pcs /roll



Dimensions

Type	Height H mm	Width W1 mm	Width W2 mm	Width W3 mm
PCT 10	3,6 mm	3,5 mm	3,9 mm	3,8 mm
PCT 20	4,0 mm	4,5 mm	3,9 mm	4,8 mm
PCT 30	4,9 mm	5,0 mm	3,9 mm	5,3 mm
PCT 40	5,0 mm	5,5 mm	3,9 mm	5,7 mm






CabMark™ LMT

Laminat cable and manila markers

Self-laminating markers for a wide variety of applications. Choose between LMT Manila and LMT Cable Markers. You can bring CabMark™ LMT with you everywhere and secure your marking fast and simple.

Manila for vales, boxes, instruments, motors, tools etc. Cablemarkers for wires and cables in different dimensions.



Material carrier:
500 µm UV stabilized
Polypropylene/PP - halogen free.

Material over foil:
50 µm transparent Polyester,
halogen free.

Material adhesive:
Acrylic based long life adhesive
specially for lamination.
UV resistant

Material liner:
White wood-free paper one side
siliconised, chlorine free.

Operation temperature:
+0° C - +60° C


Specification:
DS10944 – life time minimum 15
years.

Storage:
In original packing a 45-55% RH.

Colours:
Yellow

**Use within 2 years from
manufactured.**

Art. no. & Colour		Size	Text field	Sales Unit
5710190-				
■ 553327	Cable marker LMT	100 x 15 mm	47 x 12 mm	100 pcs
■ 553341	Cable marker LMT	125 x 15 mm	71 x 12 mm	100 pcs
■ 553426	Manila LMT	63 x 28 mm	41 x 22 mm	100 pcs
■ 553488	Manila LMT	145 x 28 mm	122 x 22 mm	50 pcs




CabMark™ CAB-on

Wire markers on stick

CabMark™ Cab-on – Very flexible wire markers from small to bigger sizes.

Where few characters are needed. This is a good recommendable solution – it is fast, simple and easy to use.

Slide the marker forward and push it onto the cable or wire with your thumb, to place it perfectly.



Art. no. & Colour
5710190-

Sales Unit 10 x 30 pcs. / Size 0,1 - 0,4 mm²

■ 583010	NO. 0	■ 583027	NO. 1
■ 583034	NO. 2	■ 583041	NO. 3
■ 583058	NO. 4	■ 583065	NO. 5
■ 583072	NO. 6	■ 583089	NO. 7
■ 583096	NO. 8	■ 583102	NO. 9

Sales Unit 10 x 30 pcs. / Size 0,5 mm²

■ 583515	NO. 0	■ 583522	NO. 1
■ 583539	NO. 2	■ 583546	NO. 3

Material:

Super strong high performance Polyamide / PA 66 UV stabilized.

Operating temperature:

-30° C - +105° C

Specification:

UL94 / UL746A

Colours:

Stick in different colours / signs in white colour.

Storage:

In original packing at 30 – 70% RH

Use within 5 years from manufactured.

Sales Unit 10 x 30 pcs. / Size 0,5 mm²

■ 583553	NO. 4	■ 583660	NO. 5
■ 583577	NO. 6	■ 583584	NO. 7
■ 583591	NO. 8	■ 583607	NO. 9

Sales Unit 10 x 30 pcs. / Size 0,75 mm²

■ 584017	NO. 0	■ 584024	NO. 1
■ 584031	NO. 2	■ 584048	NO. 3
■ 584055	NO. 4	■ 584062	NO. 5
■ 584079	NO. 6	■ 584086	NO. 7
■ 584093	NO. 8	■ 584109	NO. 9
■ 584147	(.)	■ 584154	+
■ 584161	-	■ 584178	A
■ 584185	B	■ 584192	C
■ 584383	X		

Sales Unit 10 x 30 pcs. / Size 1,0 - 1,5 mm²

■ 584512	NO. 0	■ 584529	NO. 1
■ 584536	NO. 2	■ 584543	NO. 3
■ 584550	NO. 4	■ 584567	NO. 5
■ 584574	NO. 6	■ 584581	NO. 7
■ 584598	NO. 8	■ 584604	NO. 9
■ 584642	(.)	■ 584659	+
■ 584666	-	■ 584673	A
■ 584680	B	■ 584697	C
■ 584710	E	■ 584727	F
■ 584734	G	■ 584789	L
■ 584802	N	■ 584819	P
■ 584864	U	■ 584871	V
■ 584888	W		

Sales Unit 10 x 30 pcs. / Size 1,5 - 2,5 mm²

■ 585014	NO. 0	■ 585021	NO. 1
■ 585038	NO. 2	■ 585045	NO. 3
■ 585052	NO. 4	■ 585069	NO. 5
■ 585076	NO. 6	■ 585083	NO. 7
■ 585090	NO. 8	■ 585106	NO. 9
■ 584144	(.)	■ 585151	+
■ 585168	-	■ 585175	A
■ 585182	B	■ 585199	C
■ 585212	E	■ 585229	F
■ 585236	G	■ 585243	H
■ 585250	I	■ 585274	K
■ 585281	L	■ 585298	M
■ 585304	N	■ 585328	P
■ 585335	Q	■ 585359	R

Sales Unit 10 x 30 pcs. / Size 2,5 - 4,0 mm²

■ 585519	NO. 0	■ 585526	NO. 1
■ 585533	NO. 2	■ 585540	NO. 3
■ 585557	NO. 4	■ 585564	NO. 5
■ 585571	NO. 6	■ 585588	NO. 7
■ 585595	NO. 8	■ 585601	NO. 9

Sales Unit 10 x 30 pcs. / Size 4,0 - 6,0 mm²

■ 586011	NO. 0	■ 586028	NO. 1
■ 586035	NO. 2	■ 586042	NO. 3
■ 586059	NO. 4	■ 586066	NO. 5
■ 586073	NO. 6	■ 586080	NO. 7
■ 586097	NO. 8	■ 586103	NO. 9

Sales Unit 10 x 30 pcs. / Size 6,0 - 10,0 mm²

■ 586516	NO. 0	■ 586523	NO. 1
■ 586530	NO. 2	■ 586547	NO. 3
■ 586554	NO. 4	■ 586561	NO. 5
■ 586578	NO. 6	■ 586585	NO. 7
■ 586592	NO. 8	■ 586608	NO. 9
■ 586646	(.)	■ 586653	+
■ 586660	-	■ 586783	L
■ 586806	N		

Sales Unit 5 x 10 pcs. / Size 16,0 - 25,0 mm²

■ 587025	NO. 1	■ 587032	NO. 2
■ 587049	3	■ 587223	L
■ 587247	N	■ 587445	L1
■ 587452	L2	■ 587469	L3

Sales Unit 5 x 10 pcs. / Size 25,0 - 70,0 mm²

■ 587520	NO. 1	■ 587537	NO. 2
■ 587544	NO. 3	■ 587728	L
■ 587742	N	■ 587940	L1
■ 587957	L2	■ 587964	L3

Sales Unit 2 x 10 pcs. / Size 70,0 - 95 mm²

■ 588022	NO. 1	■ 588039	NO. 2
■ 588046	NO. 3	■ 588220	L
■ 588244	N	■ 588442	L1
■ 588459	L2	■ 588466	L3

Sales Unit 2 x 10 pcs. / Size 120 mm²

■ 588527	NO. 1	■ 588534	NO. 2
■ 588541	NO. 3	■ 588725	L
■ 588749	N	■ 588947	L1
■ 588954	L2	■ 588961	L3

CabMark™ CMSS

Pre-embossed steel markers

- Easy to read in dimmed light and inaccessible places.
- Complete range of individual letters, numbers and symbols.
- Slide directly onto carrier strip to create a self contained wrap tag.

CabMark™ CMSS – a simple and flexible marking product which is especially designed for very harsh environments like Offshore and chemical industries.

You only need to secure your stock of the numbers and Carrier you need – delivered in a smart strong box you are always able to mark your applications fast and safe.

Pre-embossed steel markers

Art. no. 5710190-	Type and Size
Sales Unit 50 psc. a bag	
■ 552016	Carrier for 6 characters
■ 552023	Carrier for 9 characters
■ 552030	Carrier for 13 characters
■ 552047	Carrier for 17 characters



Material:
100%StainlessSteel316/UVstable.

Operating temperature:
-80° C - +500° C

Specification:
Lloyd's register, DNV, ABS, and UL.

Colours:
Metalized

Salt spray:
Tests without any signs of Corrosion or Reduction in Performance.

Storage:
In original packing no limit.

Use within 2 years from manufactured.

Pre-embossed steel markers

Art. no. 5710190-	Type and Size
Sales Unit 50 psc. a bag	
■ 552146	Tag - „A”
■ 552153	Tag - „B”
■ 552160	Tag - „C”
■ 552177	Tag - „D”
■ 552184	Tag - „E”
■ 552191	Tag - „F”
■ 552207	Tag - „G”
■ 552214	Tag - „H”
■ 552221	Tag - „I”
■ 552238	Tag - „J”
■ 552245	Tag - „K”
■ 552252	Tag - „L”
■ 552269	Tag - „M”
■ 552276	Tag - „N”
■ 552283	Tag - „O”
■ 552290	Tag - „P”
■ 552306	Tag - „Q”
■ 552313	Tag - „R”
■ 552320	Tag - „S”
■ 552337	Tag - „T”

■ 552344	Tag - „U”
■ 552351	Tag - „V”
■ 552368	Tag - „Q”
■ 552375	Tag - „X”
■ 552382	Tag - „Y”
■ 552399	Tag - „Z”
■ 552405	Tag - „I”
■ 552412	Tag - „2”
■ 552429	Tag - „3”
■ 552436	Tag - „4”
■ 552443	Tag - „5”
■ 552450	Tag - „6”
■ 552467	Tag - „7”
■ 552474	Tag - „8”
■ 552481	Tag - „9”
■ 552498	Tag - „0”
■ 552504	Tag - „BLANK”
■ 552511	Tag - „+”
■ 552528	Tag - „-”
■ 552535	Tag - „~”
■ 552542	Tag - „->”
■ 552559	Tag - „/”
■ 552566	Tag - „&”
■ 552573	Tag - „±”

Let us do your work

– We can offer you embossed markers – it is all up to you!

You only have to tell us what to be embossed. You can send us a Excel file or put it into a list.

Within 5 days we deliver the signs, you only have to mount them - easy and convenient!

Pre-embossed stainless steel markers

Art. no. 5710190-	Characters at	
Carrier Size	6 mm	3,8 mm
■ 551309	1	5
■ 551316	8	11
■ 551323	13	18
■ 551330	18	26
■ 551347	23	33
■ 551354	28	41



CabMark™ Flexible

CabMark™ Booklet Markers

Choose between markers for wires or labels for different applications. This is the most simple way to mark your applications. Just write the characters with the special pen and attach the label.

- Write with a pencil or waterproof ball pen on the white writeable area.
- Pull the marker from carrier.
- Press white text area firmly on the cable.
- Wrap the transparent end of marker tightly around the cable and cover the text area.

Material:
Transparent PVC foil
Thickness 80 µm
White opaque write-on area

Adhesive:
Permanent Acrylic

Temperature:
Resistant from -30° C - +120° C
Application temperature +10° C

Use within 2 years from
manufactured.



Art. no. & Colour	Description	Size	Sales Unit
5710190-			
□ 539000	Labels	25 x 50 x 15 mm	90 pcs. /roll
□ 539017	Labels	25 x 75 x 25 mm	60 pcs. /roll
□ 539024	Labels	25 x 25 x 150 mm	30 pcs. /roll
□ 539031	Labels	63 x 25 x 150 mm	30 pcs. /roll

CabMark™ Flexible

Self-adhesive write-on labels

Self-adhesive, write-on labels made of a satin acetate material, designed for marking electrical applications, operational equipments and stores.

Art. no. & Colour	Description	Size	Sales Unit
5710190-			
■ 539109	Labels	8 x 21 mm	140 pcs. /roll
■ 539116	Labels	9 x 14 mm	840 pcs. /roll
■ 539123	Labels	11 x 19 mm	440 pcs. /roll
■ 539130	Labels	11 x 38mm	220 pcs. /roll
■ 572908	Tusch	Ink color: BLACK	1 pcs.
■ 572915	Grafit	Color: GRAFIT	1 pcs.

Material:
Satin acetate fabric with highly gloss surface and high covering capacity. Backing paper is coated and siliconised on one side. Thickness 0,25 mm
UV resistant.

Colour:
White, yellow

Adhesive:
Long lasting Acrylic.

Temperature:
-10° C - +100° C
Application temperature +10° C

Use within 2 years from
manufactured.

CabMark™ SQ

SQ Printer & Accessories

This is a printer with an extremely large range of industrial applications. It have been developed with focus on robustness, easy and convenient operation and high reliability.

- The SQ can do everything from tiny labels up to big, thick labels and continuous materials.
- Fast printing with 300dpi resolution (600dpi on request).
- Compact dimensions and weight for smaller workspace.
- 4,3" backlit touchscreen for easy operation.
- Compatible with Windows.
- Easy connection to PC or Laptop with USB 2.0.
- Built-in Ethernet socket for network operation.
- Save on material expenses with backfeed funtion.

CabMark™ includes a wide ranges of accessories for our printers. We offer only the absolute best products in the market.

If you do not find the accessory you are looking for please contact us.



Art. no. 5710190-	Description	Sales Unit
560905	SQ printer	1 pcs.
561551	Print roller	1 pcs.
561735	Printhead	1 pcs.
561278	Cutter for SQ	1 pcs.

Print roller

Print roller in rubber for SQ thermal transfer printers.



Printhead

High performance printhead for SQ thermal transfer printers.



Cutter for SQ

Can be used for different materials as heat shrink and polyester. Enables you to pre-cut/perforate the material.



CabMark™ E5

E5 Printer & Accessories

E5/E5 mobile combines all functions of a solid label printer with the highest ease of operation.

- Fast printing with 300dpi resolution (600dpi on request).
- Compact dimensions and weight for smaller workspace.
- 4,3" backlit touchscreen for easy operation.
- Compatible with Windows.
- Easy connection to PC or Laptop with USB 2.0.
- Built-in Ethernet socket for network operation.

CabMark™ includes a wide ranges of printers and accessories. If you do not find the accessory you are looking for please contact us .

We offer only the absolute best products in the market.

If you do not find the accessory you are looking for please contact us.



Art. no. 5710190-	Description	Sales Unit
561186	E5 printer	1 pcs.
561971	Print roller	1 pcs.
561933	Printhead	1 pcs.
561308	Cutter for E4/E5	1 pcs.


Print roller

Print roller in rubber for E5 thermal transfer printers.



Printhead

High performance printhead for E5 thermal transfer printers.



Cutter for E4/E5

Can be used for different materials as heat shrink and polyester. Enables you to pre-cut/perforate the material.



CabMark™ E5 Mobile

E5 Mobile + battery charger

Cabicon introduces the new CabMark™ E5 Mobile with a powerful battery solution. With its compact size and the robust 24V battery pack, the E5 printer is highly versatile and easy to install at any location. Its 24V input allows for operation for 6 to 8 hours, meaning you can handle your printing tasks throughout a workday without needing to recharge.

The optional battery pack takes just 2 hours to charge, after which you can take it with you on the go.

CabMark™ E5 Mobile is designed with compact dimensions and a lightweight construction, making it perfect to carry in a service vehicle. You don't have to compromise on print quality, even in tight spaces. With an impressive print resolution of 300 dpi, CabMark™ E5 Mobile delivers a fast and precise printing experience.

Art. no.	Description	Sales Unit
5710190-		
561209	E5 Mobile	1 pcs.
561223	Battery charger - E5 Mobile	1 pcs.

Charging time:
2 hours

Battery operating time:
6 to 8 hours

Battery pack:
24V

Print quality:
300 dpi



Printer accessories

SQ/A4/E4/E5 thermal transfer printers

Art. no.	Description	Sales Unit
5710190-		
561759	Control panel SQ	1 pcs.
561193	Control panel E5 300 dpi	1. pcs
561445	Margin stop SQ/A4/E4/E5	1 pcs.
561926	Lever arm E4/E5	1. pcs
562701	CabMark™ LD-100-RS	1. pcs
561438	CabMark™ Rewinder MC-10	1. pcs
561421	CabMark™ Rewinder MC-11	1. pcs



CabMark™ WICON

Wrap-around applicator Wicon

For optimized productivity and quality of applying WrapAraound's to wires, cables, strands, hoses, tubes or alike, spanning from 2-16 mm in diameter.

Our specialized CabMark™ CMW wraparounds protects your print persistently from liquid's, dust and wear.

Wraparound applicator Wicon in conjunction with the Thermoprinter SQ MP/300 will give you a bond, no wire can resist.

Insert your wire vertically into the applicator – and your print will be wrapped in an instant!
- This in a reproducible and consistent manor
- Your label will have optimal adhesion, given the circumstances you provide.


So ensure all surfaces are clean and free of lubricants.

Safety is of course well thought of; as a finger guard in the feed opening will prevent unwanted insertion in operating/process area.

Easy operation and maintenance is key for the Wraparound applicator WICON

– Contact Cabicon a/s for demonstration!

Art. no.	Description	Sales Unit
5710190-		
562152	Wicon	1 pcs.



CabMark™ Ribbons

Ribbons for all printers

Your advantage by using the CabMark™ system is that you only need one type of ribbon for all our materials – the CCR.

We developed a special ribbon with highest chemical resistance for PUR or polyester materials.

! Other colours on request and sizes can besupplied on request.



Art. no. & Colour	Description	Size	Sales Unit
5710190-			
■ 571659	TT CCR	30 mm x 300 m	1. /roll
■ 571680	TT CCR	55 mm x 300 m	1. /roll
■ 571703	TT CCR	85 mm x 300 m	1. /roll
■ 571710	TT CCR	110 mm x 300 m	1. /roll
□ 571734	TT CCR	55 mm x 150 m	1. /roll
□ 571741	TT CCR	85 mm x 150 m	1. /roll
□ 571758	TT CCR	110 mm x 150 m	1. /roll
■ 570027	CC XT	30 mm x 360 m	1. /roll
■ 570058	CC XT	55 mm x 360 m	1. /roll
■ 570072	CC XT	85 mm x 360 m	1. /roll
■ 570096	CC XT	110 mm x 360 m	1. /roll



CabSoft™ Software

CabSoft™

CabSoft™ is an uncomplicated software for creating all kind of labels and markers.

Create labels to be printed on heat shrink, PUR cable markers, CPL labels and standard labels. You work directly on the label and can easily edit pictures, text or numbers.

Use the import facility and create thousands of markers or labels within a short time. It saves you time and money.



With CabSoft™ you get:

- Graphic elements
- Import facilities
- Date and time printing
- Brilliant overview
- Working directly on the label
- Import pictures
- Barcodes
- Pre-defined labelsettings

Experience how easy marking should be.

Call us for a demonstration.

Art. no.	Description	Sales Unit
5710190-563036	Cabsoft 5.1 software	1 pcs.



CabMark™ Print Shop

You create – we print!

If you do not have the time or the equipment, CabMark™ Print shop is the right solution for you.

Choose among a wide range of cablemarkers, wiremarkers and labels for all sorts of applications.

Place your order before 10 AM and you will receive your markers within 24 hours.

Contact Cabicon a/s for further information.



Disclaimer

Cabicon a/s

Please notice that all data and information in the catalogue is believed to be accurate and correct. Although the information and recommendations set forth are presented in good faith and believed to be correct of this date, Cabicon a/s assumes no liability for the completeness or accuracy.

Conditions and methods of use are beyond our control, we presuppose that the persons receiving the same will make their own determination as to the suitability for their purpose.

Cabicon a/s reserves the rights to correct any errors or misprints and adjust our prices due to

changes in currency rates, suppliers' increase in prices, increase in material prices, changes in wages, freight, customs, taxes, government interventions and any other changes beyond our control.

Cabicon a/s possesses all rights to the contents and design of this catalogue. Fully or partially rendering of contents, transmission of contents or permanent storage of contents must only be done after having obtained a preceding, written assent from Cabicon a/s.



Cabicon a/s

www.cabicon.com
www.cabmark.com

CabMark™

A brand by

cabicon

Cabicon a/s
Emil Neckelmanns Vej 5
5220 Odense SØ Denmark

www.cabicon.com

Phone: +45 7623 4400
Email: sales@cabicon.com